

247blinds


PERFECT FIT SHUTTERS

LET'S GET
MEASURING!



MEASURING FOR PERFECT FIT SHUTTERS


You will need a metal tape measure, a ruler, a blunt butter knife and a pen/pencil.

 Perfect Fit© Shutters are not suitable for windows with square beading.

NOTE: Perfect Fit© Shutters use a built-in tilt rod for slat control, projecting approximately 87mm from the window glass to the outside tilt rod. Consider this measurement when fitting shutters to doors with specific clearances. Refer to product specifications for details.

CHECK WINDOW/DOOR SUITABILITY

An easy way to check if your windows are suitable is by using a gauge, or blunt butter knife. Measure how far the blade slips under the beading to see if it's above the 18mm required. Please take care when using a knife.




Don't force it if it feels like it doesn't want to budge — You may have an older window where the seal is not compressible. If this is the case, then you'll need to consider other options.

STEP 1

MEASURING THE CLEARANCE AND BEADING


Clearance: Inspect the space between the glass's edge and any potential obstructions like window handles, ensuring a minimum clearance of 23mm on all sides.

Beading: Ensure that the rubber beading doesn't protrude more than 6mm into the glass area.



STEP 2

To determine the window's depth from the glass to the beading, place a credit card at the frame's corner and employ a metal ruler for the measurement. This needs to be a minimum of 20mm.




STEP 3

Determine the visible glass dimensions for every window and door. Measure from the inner frame edges where the glass intersects with the rubber seal, excluding any beading or rubber seals in your calculations.

Gauge the top, middle, and bottom of the glass, rounding to the nearest millimetre, and record the shortest measurement.

Repeat this process for the vertical dimension, measuring the left, right, and centre, and record the smallest measurement.




STEP 4

MEASURING THE PLACEMENT OF YOUR WINDOW HANDLE

If your window has a handle, we will require an additional measurement when placing your order.

Just open the handle and measure the distance from the edge of the visible glass to the centre of the handle turn joint.



MAKE A NOTE OF YOUR MEASUREMENTS

| Blind/Colour/Location | Glass Size | Width | Drop |
|-----------------------|------------|-------|------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Other Notes

247blinds.co.uk



All measured up?
Placing your order couldn't be easier.
Scan here to be taken to our website.
or call 01484 443790

EASY
TO FIT

FAST TRACK
DELIVERY

5 YEAR
GUARANTEE

Be inspired



247 Home Furnishings Ltd trading as 247Blinds
Unit A, Trident Business Park, Huddersfield, HD2 1UA.